

COLOUR CARDS
PAINT SYSTEM



AEMME COLORI

'COLOUR CARDS PAINT SYSTEM'



PER I MIGLIORI PRODUTTORI DI CARTELLE COLORI



FOR THE BEST MANUFACTURERS OF COLOUR CARDS

by



24020 RANICA (Bergamo-Italia)
Via Patta, 12 • Tel. 035.513373
Fax 035.513211
info@aemmecolori.it

AEMME COLORI 'COLOUR CARDS PAINT SYSTEM'



TINTING SYSTEM

E' un sistema **Polivalente** creato dai laboratori di Aemme Colori quaranta anni fa e destinato esclusivamente ai migliori produttori di cartelle colori.

Polivalente perché con una sola serie di 36 coloranti concentrati che miscelati con 5 veicoli di differente natura chimica permettono di produrre una serie di 5 prodotti finiti con diverse caratteristiche finali ma tutti con uguale affidabilità applicabili a spruzzo, spalmatura o a strips.

VANTAGGI

I componenti del sistema (coloranti concentrati) sono prodotti in lotti testati in laboratorio in ogni caratteristica a cominciare dalla resa colorimetrica certificata e costante che permette alla formulazione spettrofotometrica di essere approvata **in prima pesata** nell'80% dei casi e comunque con la seconda grazie alla qualità dei pigmenti contenuti che provengono dalle primarie industrie europee (Bayer, Clariant, Hoechst).

Serie di 36 coloranti concentrati è **costantemente** reperibile a magazzino facilitando la ripetitività degli acquisti che diminuiscono al cliente il carico di infiammabili ed il costo di magazzino e di spazio. Possibilità di personalizzare il sistema con pigmenti speciali su richiesta.

L'esperienza maturata in 40 anni permette ai nostri tecnici della migliore assistenza tecnica di messa a punto iniziale anche in sede cliente.

NITROFLEX 1K (LUCIDO/OPACO)

La sua composizione **Nitrosintetica** (reticolante ad aria o a forno) gli conferisce un aspetto lucido (80 gloss) oppure un opaco assoluto (1 gloss) ma morbido e, miscelandolo con il lucido, qualsiasi gradazione di semilucido setato.

SUPERFLEX 2K BRILLANTE

La sua composizione poliuretana/isocianica (reticolante a forno o ad aria) lo rende indispensabile e insuperabile quando si vuole ottenere una brillantezza assoluta (95 gloss). Presenta ottima resistenza all'ingiallimento ed al graffio pur essendo assolutamente flessibile.

ACRIFLEX 1K (LUCIDO/OPACO)

La sua composizione di natura Acrilica isocianica (reticolante a forno o ad aria) aggiunge alle caratteristiche di eccellenza del "Superflex" una resistenza ASSOLUTA all'ingiallimento ed un'ottima brillantezza (80 gloss)

It is a **Multipurpose** system created by the Aemme Colori laboratories forty years ago and intended exclusively for the best color card manufacturers.

Multipurpose because with a single series of 36 concentrated colorants that mixed with 5 vehicles of different chemical nature allow the production of a series of 5 finished products with different final characteristics but all with the same reliability applicable by spraying, spreading or strips.

BENEFITS

The system components (concentrated dyes) are produced in batches tested in the factory in every characteristic starting from the certified and constant colorimetric yield which allows the spectrophotometric formulation to be approved **in first weighing** in 80% of cases and in any case with the second thanks to the quality of the pigments contained which come from the primary European industries (Bayer, Clariant, Hoechst).

Series of 36 concentrated dyes is **constantly** available in stock, facilitating repeat purchases which reduces the customer's load of flammables and the cost of storage and space. Possibility to customize the system with special pigments on request.

The experience gained over 40 years allows our technicians to provide the best technical assistance for initial set-up, even at the customer's site.

NITROFLEX 1K (GLOSSY/MATTE)

Its (air or oven cross-linking) **nitro-synthetic** composition gives it a glossy appearance (80 gloss) or an absolute matt (1 gloss) but soft and, by mixing it with the glossy, any shade of silky semi-gloss.

SUPERFLEX 2K BRILLANT

Its polyurethane/isocyanate composition (oven or air cross-linking) makes it indispensable and unsurpassed when you want to obtain an absolute brilliance (95 gloss). It has excellent resistance to yellowing and scratching while being absolutely flexible.

ACRIFLEX 1K (GLOSSY/MATTE)

Its composition of isocyanic acrylic nature (oven or air cross-linking) adds to the excellent characteristics of "Superflex" an ABSOLUTE resistance to yellowing and an excellent gloss (80 gloss)

AEMME COLORI 'COLOUR CARDS PAINT SYSTEM'



PAINT COMPONENTS

36

CONCENTRATED COLOURANTS

7SA002 CONC. NITR. WHITE
7SA006 CONC. NITR. YELLOW-GREEN 68T150
7SA012 CONC. NITR. CLEAR RED
7SA014 CONC. NITR. MAGENTA
7SA016 CONC. NITR. RED C.I 177 NCS PI
7SA017 CONC. NITR. RED OXIDE
7SA018 CONC. NITR. RED C.I. 206 NCS
7SA019 CONC. NITR. BRIGHT RED
7SA023 CONC. NITR. YELLOW C.I 97 NCS
7SA026 CONC. NITR. BLU FT
7SA027 CONC. NITR. YELLOW C.I 155 NCS
7SA028 CONC. NITR. YELLOW C.I 110 NCS
7SA031 CONC. NITR. YELLOW C.I 194
7SA046 CONC. NITR. RED C.I 170 NCS
7SA058 CONC. NITR. YELLOW 68T-141
7SA061 CONC. NITR. ORANGE 68-T200
7SA064 CONC. NITR. RED 68-T330
7SA072 CONC. NITR. ORANGE C.I 43
7SA077 CONC. NITR. NON-TOXIC CHROM. YELLOW
7SA078 CONC. NITR. NON-TOXIC LEMON YELLOW
7SA081 CONC. NITR. NON-TOXIC SCARLET ORANG
7SA088 CONC. NITR. CHROME YELLOW BIKE
7SA303 CONC. NITR. BLACK FOR DYES
7SA304 CONC. NITR. DEEP BLACK
7SA309 CONC. NITR. YELLOW OXIDE
7SA320 CONC. NITR. BORDEAUX
7SA322 CONC. NITR. VIOLET
7SA324 CONC. NITR. BLU BCA
7SA329 CONC. NITR. GREEN FT GN
7SA330 CONC. NITR. GREEN 6Y
7SA348 CONC. NITR. YELLOW HR70
7SA351 CONC. NITR. BLU FT PALOMAR
7SA356 CONC. NITR. BLU 68T-530
7SA359 CONC. NITR. YELLOW 68-T120AT
7SA362 CONC. NITR. ORANGE 77-T207 NCS
7SA365 CONC. NITR. RED 68-T340AT

COLOR INDEX

PIG. WHITE 6
PIG. YELLOW 184
PIG. RED 170
PIG. RED 122
PIG. RED 177
PIG. RED 101
PIG. VIOLET 19
PIG. RED 179
PIG. YELLOW 97
PIG. BLUE 15:4
PIG. YELLOW 155
PIG. YELLOW 110
PIG. YELLOW 194
PIG. RED 170
PIG. YELLOW 151
PIG. ORANGE 36
PIG. RED 254
PIG ORANGE 43
PIG. YELLOW 184
MIXTURE
PIG. ORANGE 73
PIG. YELLOW 83
PIG. BLACK 7
PIG. BLACK 7
PIG. YELLOW 42
PIG. VIOLET 19
PIG. VIOLET 23
PIG. BLUE 15:2
PIG. GREEN 7
PIG. GREEN 36
PIG. YELLOW 83
PIG. BLU 15:1
PIG. BLUE 60
PIG. YELLOW 139
PIG. RED 188
PIG. VIOLET 19

5

CONVERTERS

"NITROFLEX" GLOSS / MATT
"SUPERFLEX" POLYURETHANE 2K EXTRA GLOSS
"ACRIFLEX" ACRYLIC 1K GLOSS / MATT

41

MATT BASES

7 METAL GRAINS
15 PEARLED GRAINS
13 EXTRA PIGMENTS
6 XIRALLIC PIGMENTS

1+1

CLEAR VARNISH 2K


NON-YELLOWING ACRYLIC
FOR METALLIZED FINISHES

COLOUR CARDS PAINT SYSTEM

 **Dosaggio Componenti**

 **Components Mixing**

Miscela Parti in Peso
Mixing Parts by Weight



■ Per ulteriori informazioni non esitate a contattarci

■ For further information please contact us

P20.03.25

Paint industry

by 

24020 RANICA (Bergamo-Italia)
Via Patta, 12 - Tel. 035.513373
Fax 035.513211
info@aemmecolori.it

...since 1947

